

玻璃珠系列产品: glass bead series products



我公司产品在白天的效果

The effect in daytime of companyis product

适用于路面标线的反光玻璃珠



我公司产品在夜间的效果

The effect at night of companyis product

the reflective glass bead are suitable for the marking line on the road surface.

号 umber type	用途 usage	玻璃珠粒径 范围 Standard Diameter (μm)	筛网 目数 Sieve Size	玻璃珠 量百分 (%)quali
华人民共和国交通行业标准 JT/T446-2001 号 e transportation trade standard of the People's Republic of ina JT/T446-2001, No.1	用于热熔涂料路面标线的面撒玻璃 珠 the surface spreading glass bead for the marking line on the surface of hot melting coating road	>850	>20	0
		850-600	20-30	5-30
		600-300	30-50	30-80
		300-106	50-140	10-40
华人民共和国交通行业标准 JT/T446-2001 号 e transportation trade standard of the People's Republic of ina JT/T446-2001, No.2	用于热熔涂料路面标线的内混玻璃 珠 the internally mixed glass bead for the marking line on the surface of hot melting coating road	>600	30	0
		600-300	30-50	40-90
		300-150	50-100	5-60
		<150	<100	0-5
华人民共和国交通行业标准 JT/T446-2001 号 e transportation trade standard of the People's Republic of ina JT/T446-2001, No.3	用于冷漆路面标线的面撒玻璃珠 the surface spreading glass bead for the marking line on the lacquer painting road surface	>212	>70	0
		<90	<170	0-4
水性漆面撒玻璃珠:用于水性漆路面标线的面撒玻璃珠 e surface spreading glass bead of aqueous painting: It is the surface spreading glass bead that used for e marking line on the aqueous painting road surface		>850	>20	0-5
		<425	<40	0-10

镀膜玻璃珠: 防潮、保光、适应在多雨、多雾、潮湿的地区使用

Plating glass bead: damp proof, keep light and adapt to use in the damp districts, where it abound with rain and fog.

2、适用于机械喷丸、金属物的清理抛光、表面处理及塑料、橡胶、油漆和复合材料等化工产品的填加剂、增强剂的高强度玻璃微珠。

2、 it is suitable for the machine roto blasting, the cleaning and polishing of the metal, the surface processing and the high intensity glass microsphere of the additive and intensifier for the plastics and rubber, oil paint and the compound material and other chemical products

序号 Category NO.	玻璃珠粒径 φ (μm) Standard Diameter (μm)	筛网目数 Sieve Size
1	1180-850	16-20
2	850-425	20-40
3	425-250	40-60
4	250-180	60-80
5	180-150	80-100
6	150-100	100-150
7	100-70	150-200
8	70-53	200-270
9	53-44	270-325



玻璃珠成套设备之筛分除磁设备
the sieving demagnetism for complete glass bead equipment

3、适用于工艺品制作、灯饰、豪华装饰装修、银幕制作的高白玻璃珠。玻璃珠的成圆率高达 90% 以上，杂质含量极低。

3、 it is suitable for the hi-white glass bead in the handicraft product making lamps, the luxurious light decoration and screen manufacture. The round rate of this of glass bead are as high as 90% with very low impurity.



公司生产的优质玻璃珠
The high quality glass beads product that we produce

序号 Category NO.	玻璃珠粒径 φ (μm) Standard Diameter(μm)	筛网目数 Sieve Size
1	850-600	20-30
2	600-425	30-40
3	425-250	40-60
4	250-180	60-80
5	180-150	80-100
6	150-100	100-150
7	100-70	150-200
8	70-53	200-270

4、玻璃珠的用途非常广泛，现正在不断地扩大使用范围，除上述规格外，还可根据用户的需要，在 1180μm 至 44μm 之间，生产不同粒径、不同配比的玻璃微珠，也可向用户供应彩色玻璃珠和空心玻璃珠。

1、外观：无色透明，无明显的气泡与杂质。
2、比重：2.4-2.6g/cm³
3、折射率：≥1.5

4、玻璃珠成份：钠钙玻璃组成，SiO₂ 含量>62%
5、成圆率：
粒径：φ≥600μm(30 目)的 成圆率≥75%

河北省廊坊市广阳区朝阳市场南 11 栋阳 15 号

电话/传真：0316-2013621

邮箱：manager@glassbead.org.cn

手机：15100663145

www.glassbead.org.cn

www.olannn.com

邮编：065000

glass with different grain diameter and different blending ratio 粒径: $\phi \leq 600\mu\text{m}$ (30 目)的 成圆率 $\geq 85\%$ according to the customers' demand, these grain diameter are Quality level of the product between 1180 and 44 microns, we can also supply the colorful 1、Appearance: beads are clean, transparent and free substantial glass bead and hollow glass beads for the customers.

bubbles and foreign matters

2、Specific Gravity: 2.4-2.6g/cm³

3、Index of Refraction : ≥ 1.5

4、Glass composition : Sodium-calcium glass ,SIO₂% $>62\%$

5、Roundness: Classification $\leq 600\mu\text{m}$ (30 mesh) product is more than 80%: others (30 mesh) are more than 85%

6、产品包装:

Packing:

采用塑料编织袋制成 600×400mm 复合包装袋, 内衬塑料袋, 封口严密, 运输安全, 每袋净重 25kg, 或按用户要求采用纸袋包装及桶装。

The plastic knitting bag is used to make the compound packing bag of 600 × 400 mm, which lined the plastics bag with tight seal and safe transportation. The net weight of each bag is 25 kg or adopts the paper bag package and bucket package according to the customer's requirement.



包装好的成品

The product with pack finished